Fremont Surgery Center DVT Risk Assessment Form

Are You at Risk for DVT?

FOR PATIENTS

Complete this risk assessment tool to find out.

■ Male

Name	☐ Female Today's Date
Only your doctor can determine if you are at risk for Deep Vein Thron legs. A review of your personal history and current health may determ complete this form for yourself (or complete it for a loved one). Then can do to help protect against it. Your doctor may want to keep a copy	nine if you are at risk for developing this condition. Take a moment to be sure to talk with your doctor about your risk for DVT and what you
Directions:	Add 2 points for each of the following statements
Check all statements that apply to you.	that apply:
2. Enter the number of points for each of your checked statements in the space at right.	☐ Age 61–74 years
3. Add up all points to reach your total DVT Risk Score.	Current or past malignancies (excluding skin cancer, but not melanoma)
Then, share your completed form with your doctor.	☐ Planned major surgery lasting longer than 45 minutes
Add 1 point for each of the following statements that	(including laparoscopic and arthroscopic)
apply now or within the past month:	☐ Non-removable plaster cast or mold that has kept you from moving your leg within the last month
☐ Age 41–60 years	☐ Tube in blood vessel in neck or chest that delivers blood or medicine directly to heart within the last month (also called central venous access, PICC line, or port)
Minor surgery (less than 45 minutes) is planned	
Past major surgery (more than 45 minutes) within the last month	☐ Confined to a bed for 72 hours or more
☐ Visible varicose veins	
A history of Inflammatory Bowel Disease (IBD) (for example, Crohn's disease or ulcerative colitis)	Add 3 points for each of the following statements that apply:
Swollen legs (current)	☐ Age 75 or over
Overweight or obese (Body Mass Index above 25)	☐ History of blood clots, either Deep Vein Thrombosis (DVT)
Heart attack	or Pulmonary Embolism (PE)
☐ Congestive heart failure	☐ Family history of blood clots (thrombosis)
☐ Serious infection (for example, pneumonia)	Personal or family history of positive blood test indicating an increased risk of blood clotting
☐ Lung disease (for example, emphysema or COPD)	
On bed rest or restricted mobility, including a removable leg brace for less than 72 hours	Add 5 points for each of the following statements
Other risk factors (1 point each)***	that apply now or within the past month:
***Additional risk factors not tested in the validation studies but shown in the literature to be associated with thrombosis include BMI above 40, smoking, diabetes, requiring insulin, chemotherapy, blood transfusions, and length of surgery over 2 hours.	Elective hip or knee joint replacement surgery
	☐ Broken hip, pelvis or leg
3	Serious trauma (for example, multiple broken bones due to a fall or car accident)
For women only: Add 1 point for each of the following	
statements that apply:	Spinal cord injury resulting in paralysis
Current use of birth control or Hormone Replacement Therapy (HRT)	Experienced a stroke
Pregnant or had a baby within the last month	Add up all your points
History of unexplained stillborn infant, recurrent	to get your total
spontaneous abortion (more than 3), premature birth	Caprini DVT Risk Score

What does your Caprini DVT Risk Score mean?

- Risk scores may indicate your odds of developing a DVT during major surgery or while being hospitalized for a serious illness.
- Airplane passengers who fly more than five hours may also be at risk for DVT.
- Studies have shown if you have 0-2 risk factors, your DVT risk is small. This risk increases with the presence of more risk factors.
- Please share this information with your doctor who can determine your DVT risk by evaluating all of these factors.